

BioIdea Order No. _____

BioIdea.net
A biological company
We serve with our knowledge.



Mold and Water Sample Submission Form

Contact person:	Alt. phone:
Company:	Alt. email:
Address 1:	Project name:
Address 2:	Your project No.:
City: State: ZIP:	Proj. address 1:
Cell phone: Bus. phone:	Proj. address 2:
Email:	Sampling date:

Mold and Water Testing Methods:

Air Cassettes (M10 series):

- M11 Air-O-Cell (Zefon);
M12 Allergenco (EMS);
M13 Customer defined cassette;

Surface Materials (M20 series):

- M21 Direct exam (Tape samples);
M22 Direct exam (Bulk samples);
M23 Direct exam (Swab samples);

Live Mold on Medium Plates (M30 series):

- M31 Anderson impactors (use a vacuum pump);
M32 Stationary plates (without using a vacuum pump);
M33 Derived from Swabs, Tapes, and Bulk samples;
M34 *Aspergillus* species determination (culture only);
M35 *Penicillium* species determination (culture only);
M36 *Stachybotrys* species determination (culture only);
M37 *Cladosporium* species determination (culture only);
M39 Customer defined species determination (culture);

Drinking Water Testing: (*24-28 hr turn-around only)

- BAC11 Bacterial total coliform presence or absence;
BAC12 *E. coli* (*Escherichia coli*) presence or absence;

Turn-Around Time (*Apply to mold samples. *BAC/Water samples use 24-48 hr turn-around only):

Rush, or Same-night turn-around | 2nd-day at night turn-around | 3rd-day at night | 4th-7th day at night

Sample No.	Sample location	Air volume (liters); Water >100 ml	Sample type	Testing Method	Turn-around Time*

Relinquished by _____ Date _____; Received by _____ Date _____

